

LEGEND

- ① Back-rest rail 400mm x 250mm and cushioned back support with clips.
- ② 600mm grab rail.
- ③ Hinged support rail.
- ④ Mayfair semi-recessed toilet roll holder.
- ⑤ Pull rail on door.
- ⑥ Dorex 365mm basin with plastic bottle trap unslopped strainer waste lever action spray mixer tap.
- ⑦ Contour 2 W.C pan complete with 7.5 litres cistern hi-line bakasan seat with extended CP, metal pillars and plastic buffers.
- ⑧ Floor finishes as per schedule of finishes.
- ⑨ Wall finishes to all sides of all internal walls as per schedule of finishes.

NOTES

Recommended space requirements
The above shows recommended dimensions for a Unisex
W.C compartment for wheelchair users.


Minimum space requirements
Plan A and B show the minimum dimensions for a Unisex
W.C compartment for wheelchair users.

A = Manoeuvring space is limited but allows better lateral
transfer than B.


B = Slightly better manoeuvring space than A.

Wheelchair W.C compartment to BSS810:1979 and Part M
of the Building Regulations 1985.


2000



DETAILS OF DISABLED TOILETS



ELEVATION SHOWING APPARATUS



ELEVATION SHOWING WALL TILES

Revised	Date
Revised	
Client Name	
DISTRICT COUNCIL OF SAVANNE	
Project Name and Address	
Proposed Incinerator Building at Souillac Cemetery	
Project 01	Sheet
Date	ARC/02
Scale 1:100 @ A3	