


LEGEND


- ① Back-rest rail 400mm x 250mm and cushioned back support with clips.
- ② 600mm grab rail.
- ③ Hinged support rail.
- ④ Mayfair semi-recessed toilet roll holder.
- ⑤ Pull rail on door.
- ⑥ Dorax 365mm basin with plastic bottle trap unsilted strainer waste lever action spray mixer tap.
- ⑦ Contour 2 W.C. pan complete with 7.5 litres cistern hi-line bolson seat with extended CP, metal pillars and plastic buffers.
- ⑧ Floor finishes as per schedule of finishes.
- ⑨ Wall finishes to all sides of all internal walls as per schedule of finishes.




ELEVATION SHOWING APPARATUS

NOTES

- Recommended space requirements
The above shows recommended dimensions for a Unisex W.C. compartment for wheelchair users.
- Minimum space requirements
Plan A and B show the minimum dimensions for a Unisex W.C. compartment for wheelchair users.
- A - Manoeuvring space is limited but allows better lateral transfer than B.
- B - Slightly better manoeuvring space than A.
- Wheelchair W.C. compartment to BSS810:1979 and Part M of the Building Regulations 1985.



DETAILS OF DISABLED TOILETS



ELEVATION SHOWING WALL TILES

| | |
|---------|------|
| Revised | Date |
| Revised | |
| Revised | |

| | |
|---|---------------------|
| Client Name DISTRICT COUNCIL OF SAVANNE | |
| Project Name and Address Proposed Incinerator Building at Grand Bois Cemetery | |
| Project 01 | Sheet ARC/02 |
| Date | Scale 1:100 @ A3 |

Sheet 1 of 21