

## LEGEND

- ① Back-rest rail 400mm x 250mm and cushioned back support with clips.
- ② 600mm grab rail.
- ③ Hinged support rail.
- ④ Mayfair semi-recessed toilet roll holder.
- ⑤ Pull rail on door.
- ⑥ Dorex 365mm basin with plastic bottle trap unslotted strainer waste lever action spray mixer tap.
- ⑦ Contour 2 W.C pan complete with 7.5 litres cistern hi-line bakasan seat with extended CP, metal pillars and plastic buffers.
- ⑧ Floor finishes as per schedule of finishes.
- ⑨ Wall finishes to all sides of all internal walls as per schedule of finishes.


## NOTES

Recommended space requirements  
The above shows recommended dimensions for a Unisex W.C compartment for wheelchair users.


Minimum space requirements  
Plan A and B show the minimum dimensions for a Unisex W.C compartment for wheelchair users.

A - Manoeuvring space is limited but allows better lateral transfer than B.  
B - Slightly better manoeuvring space than A.


Wheelchair W.C compartment to BS5810:1979 and Part M of the Building Regulations 1985.



## DETAILS OF DISABLED TOILETS



ELEVATION SHOWING APPARATUS



ELEVATION SHOWING WALL TILES

Revised	Date
Revised	
Client Name	
<b>DISTRICT COUNCIL OF SAVANNE</b>	
Project Name and Address	
<b>Proposed Incinerator Building at Chamouny</b>	
Project 01	Sheet
Date	ARC/02
Scale 1:100 @ A3	